

Business Name: Tank It Easy Colorado Springs

Address: Colorado Springs, CO 80917

Phone: (719) 359-8832

Tank It Easy Colorado Springs

Tank It Easy – Colorado Springs provides fast, reliable septic tank cleaning for homes and businesses across the region. We handle routine pumping, maintenance, and inspections with honest pricing and friendly service. Whether you're dealing with backups, odors, or just need regular service, our licensed and insured team gets the job done right. Family-owned and operated, we're committed to keeping your septic system running smoothly. Call today and let Tank It Easy do the dirty work—so you don't have to!

[View on Google Maps](#)

Colorado Springs, CO 80917

Business Hours

- Monday: 24 Hours
- Tuesday: 24 Hours
- Wednesday: 24 Hours
- Thursday: 24 Hours
- Friday: 24 Hours
- Saturday: 24 Hours
- Sunday: 24 Hours

Follow Us:

- Facebook: <https://www.facebook.com/profile.php?id=61573216902188>
- YouTube: <https://www.youtube.com/@TankItEasyCO>

Explore this content with AI:

 [ChatGPT](#)  [Perplexity](#)  [Claude](#)  [Google AI Mode](#)  [Grok](#)

If you possess a septic system, pushing is just one of those tasks that never ever experiences critical up until it suddenly is. Toilets burp, empties gurgle, pools appear over the industry, and already you are actually paying for unexpected emergency work. A little bit of planning spares loan and also prevents harm. This manual maps out exactly how to prep for septic system pumping, what know-how property owners perform in the course of the service, and just how to take care of the unit after. It mixes field expertise with what I have actually observed on task internet sites, consisting of a couple of avoidable oversights that produced **septic tank cleaning** pricey repairs.

What pushing in fact accomplishes

Septic tanks resolve out solids. A drifting algae level accumulates body fats as well as oil, and a muck layer gathers on the bottom. In between all of them is actually relatively clear fluid that flows to the drain range. Pumping takes out the algae and also grease therefore solids do not run away to the field. Septic tank pumping

is certainly not the same as septic tank cleaning or sewage-disposal tank emptying, though pros occasionally blend the terms.

- Pumping implies eliminating the fluid and also sludge along with a vacuum truck. A lot of services do this.
- Cleaning implies removing residual solids that stay with the wall surfaces and also befuddles, commonly with a rinse. It is stricter and takes longer.
- Emptying is often used to mean a complete cleanout, other opportunities simply a pump down. Ask for clarity.

If your company merely vacuums the fluids via a tiny hatch without stirring or sweeping the corners, you can easily leave 10 to 30 per-cent of the solids. That feels like altering half your oil. Don't be actually bashful concerning inquiring what their procedure includes.

How often you truly require it

For an average three-bedroom home along with a 1,000 gallon tank as well as 4 folks, a 3 to 5 year period works for many families. That assortment tightens or expands based upon habits. A waste disposal, recurring guests, hefty washing days, or strong anti-biotics raise sound bunch and minimize microbial task. The gold criterion is evaluating sludge and also algae density along with a crystal clear tube or even a long rod and also plate prior to scheduling. When the combined scum and grease are about one-third of the tank's depth, it is actually time.

I have seen pair of homes along with similar tank dimensions on the very same road need company at various fees. One household composted cooking area scraps and spaced washing, pushing every 6 years with well-balanced baffles. The next-door neighbor managed a fingertip for every food and also cleaned in little everyday loads, which maintained the blender upper arm of the tank churning. They needed pumping every 2 years and a baffle repair at year 7.

An easy refresher on body anatomy

Knowing the parts helps you prep effectively and have an educated talk with the crew.

- Inlet and electrical outlet baffles or even tees always keep residue as well as solids where they belong. If a baffle is actually overlooking or worn away, solids are going to hurry the field.
- Effluent filter, usually at the outlet, monitors bits. It needs to be actually cleansed during the course of sewage-disposal tank maintenance. If no filter exists, ask about setting up one.
- Riser as well as cover admit. A buried lid adds time and also expense for digging. Take into consideration long-term risers to grade.
- Drain area spreads treated effluent. It is actually the pricey component to deal with, so everything you perform should shield it.

The situation for organizing a week in advance

Good pumping is actually not merely a vehicle check out. Along with a handful of times lead time, you can leave open the lids, lessen hydraulic load, and make certain the driver may totally clean the tank as opposed to hurrying. You may discover a small complication while it is actually still low-priced to remedy. If your device is older or you have certainly never observed it available, preparing also provides you time to find sketches or call the neighborhood health division for records.

Pre-service checklist that pays off

- Locate as well as leave open all gain access to lids, certainly not merely the tiny evaluation port.
- Confirm tank dimension and material, then show your provider.
- Clear a truck pathway as well as defend landscape design or sprinklers.
- Reduce water make use of for 24-hour prior to the visit.
- Stage a yard hose as well as energy outlet for rinsing if needed.

A few details concern. Presenting each inlet and also electrical outlet gain access to permits the driver inspection baffles and also the effluent filter. If your covers are actually hidden much deeper than 12 to 18 inches, setting up risers **septic tank pumping** to level will pay for itself within a couple of pumpings. For the vehicle path, bear in mind a full vacuum cleaner truck can easily consider 30,000 to 50,000 extra pounds. Perform certainly not path it over a septic area, soft lawn, or near a maintaining wall without a strategy. Lay plywood where tires need to cross fragile spots.

Reducing water use the time in the past is actually simple scientific research. A quieter tank implies far fewer drifting solids that can easily smear in to the electrical outlet during frustration. Neglect long downpours and laundry washing, and conduct dish washer runs. I have gauged film layers that decreased sufficient in 12 hours to help make the difference in between a clean pull and a chaotic one.

Safety and also digging the tops without drama

Buried tanks could be 6 inches listed below lawn or even 3 feet down. If you may not find the lids, search for cleanouts or even where the sewer product line exits our home. Tanks generally rest 5 to 15 feet from the groundwork according to that pipe. Probing carefully with a long screwdriver can easily discover the edges. Call energy locate companies if you are excavating much more than a couple of inches in strange soil. Gasoline as well as electric lines perform certainly not always follow upright paths.

Lids could be hefty. Concrete covers weigh 60 to 120 pounds each, at times more. Make use of pair of individuals and correct hauling, and also never slim over an open tank while prying. The gasolines can be harmful. Keep kids and also family pets away, as well as cordon the region. If a cover is actually fractured, planning to replace it. More than as soon as I have raised a lid that cracked as well as glided towards the opening. A \$120 replacement hammers a collision every time.

What to request coming from the pushing crew

Good providers invited certain asks for due to the fact that it signals you are actually focusing and won't balk at a decent statement. Inquire to open both accessibility factors, suction all chambers if it is actually a two-chamber tank, and also rinse or sweep corners as well as around baffles to get rid of awkward solids. Inquire to check out baffle state and also the presence of an effluent filter.

Ask to determine residue and also sludge just before they upset. Some business carry a crystal clear tasting pipe. Or even, a significant post may determine coatings. Tape the dimensions as well as tank size for your servicing file. On a 1,000 gallon tank, a regular healthy and balanced distribution may reveal 3 to 6 inches of vermin and 8 to 12 ins of sludge after three years. Extra is common in heavy-use homes, and less carries out certainly not indicate you need to miss company if you are actually actually scheduled.

Pumping, cleansing, and when hydro-jetting belongs

Most pump-outs involve vacuuming with a stirring nozzle to lift sediment. Washing may feature a water rinse that knocks deposit off wall surfaces, under the residue floor covering, and around baffles. Hydro-jetting is actually a stressful water approach. It has two principal usages:

- Scouring an obstructed or even somewhat shut out line from our home to the tank when a snake is certainly not enough.
- Cleaning an effluent filter or a tank wall structure with persistent accumulation, generally as portion of an extensive septic tank cleaning.

Hydro-jetting is actually not the same as travelling a drainpipe field. Do not allow anyone talk you in to high-pressure jetting of an industry without a clear diagnosis. Some specialized agencies make use of low-pressure arrow cleaning on circulation laterals, however that is certainly not a cure-all and also it calls for cautious analysis. Threatening pressure can move greats into the ground as well as minimize body life.

What you should view during the course of the visit

You will definitely hear the pump mood adjustment as it elevates water and after that grease. The driver might utilize a resource to break up the algae. They should prevent hammering the electrical outlet place therefore solids perform not surge into the industry. Along with covers open, you can look for these indications:

- Inlet baffle or tee in one piece as well as not cracked.
- Outlet baffle undamaged, filter found if put in, and also flow not restricted through wipers or even wipes.
- Minimal heartburn coming from the channel when the tank is actually pumped down. A spurt back in to the tank may mention a saturated field or a stuck check in a pump chamber for sophisticated systems.

A moderate earthy stench is ordinary. Solid chemical scents can easily suggest cleaners or paint rinse water getting in the system. Bleach in average family quantities will definitely not eliminate a tank, but regular massive dosages reduce germs and also sluggish digestive function. If you smell solvents or see weird shades, refer to source control.

Deciding on repairs while the tank is actually open

Repairs are actually cheapest when the tank goes to its most affordable degree as well as lids are off. Take into consideration these while the crew gets on internet site:



- Replace a missing or even crumbling baffle or tee. PVC tees are actually affordable and effective.
- Install or even substitute an effluent filter. Choose a design sized to your regular circulation. The proprietor must have the capacity to pull as well as hose it off during the course of septic system maintenance intervals.
- Add risers to level for future access.
- Seal small penetration water leaks where groundwater slips in to the tank at a joint.

Small expenditures below secure the drainpipe industry and also cut potential work. I when had a property owner decline a \$180 channel tee substitute. 2 years later on, they called along with appearing effluent over the field. The repair expense grew given that solids had run away as well as fouled the soil.

What pumping carries out certainly not fix

Pumping recasts the tank's ability. It carries out not refurbish a stopping working drain area, cure a damaged pipe, or even produce whatever scent like roses. If your backyard is actually squishy, or if the tank refills coming from the channel rapidly during the course of pumping, the field could be saturated. Because instance, pumping can acquire you time while you lessen water use and diagnose the industry. A camera as well as pressure examination on the distribution box or laterals may adhere to. Clay grounds after a springtime thaw commonly copy breakdown symptoms. Offer the industry a couple of dry times prior to panicking.

Additives, chemicals, as well as other container promises

The brief variation: most septic ingredients are needless and some are damaging. A balanced diet plan of household waste materials germs. Enzymes can melt solids too soon, pushing all of them right into the range. Extreme chemical surprise treatments that guarantee to open an industry rarely assistance and also may clear contaminants into groundwater. I always keep a basic guideline. If you would certainly certainly not pleasantly drain an offered container into your veggie backyard, carry out certainly not put it in to your tank.

Post-service steps for a well-balanced reset

- Run water at a modest flow into our home drainpipe for a couple of moments to confirm free circulation and also venting.
- Resume usual water make use of slowly over 24 hr, not all at once.
- Clean as well as re-seat the effluent filter if recommended, as well as note the cleaning date.
- Walk the drain range 24 to two days eventually to check for appearing water or odors.
- Update your records with time, volume pumped, as well as any sort of repairs or observations.

If you had [septic tank maintenance](#) heavy solids or even an overlooked tank, you may see a slight sewerage smell at the yard vent or roofing system vents for a time. This fades. Inside, slow-moving drains pipes after solution commonly indicate an existing predisposed clog got disrupted ***Tank It Easy Colorado Springs septic tank cleaning*** instead of produced. A simple serpent from a cleanout to the tank normally fixes it.

Water usage in the very first full week after pumping

A freshly pumped tank possesses less head pressure on the outlet. Quick influxes of water can easily push small particles toward the filter. Area out laundry, prevent next showers, and also skip marathon dishwasher runs for a couple of days. If your house is big, signal a brief loved ones rundown. 5 moments of coordination creates much more difference than a shelf of additives.



If your tank has an effluent filter as well as you did a complete septic system emptying and cleansing, expect to wash the filter again after a full week. Loosened fines may gather. A yard hose does the job. Use handwear covers and eye security, as well as rinse out back in to the tank position, not onto the lawn.

Keeping a simple routine maintenance log

Write down the pump date, tank size, the approximate scum and muck degrees if measured, the ailment of baffles as well as lids, and what you paid out. Add details regarding any kind of unusual scents, surfacing water,

or even filter cleansing. After pair of or three cycles, you are going to view your house's true period. When you market our home, that log reads like gold to a purchaser or inspector.

Winter, rain, and other environmental wrinkles

Cold climate sets oil. If you must pump in deeper winter season, stop using the cooking area sink as a grease trap for a full week before the go to. In freezing weather, revealed risers without insulation can easily produce frost issues. Some home owners cover risers along with foam and also cover with a very discreet insulated cap.

During really moist seasons, groundwater may trickle in to tanks along with much older joints. That may deceive you right into presuming the tank makes even more effluent than it should. Lid tapes and small mortar repairs aid. The drain area may strain as well. Divert rooftop downspouts far from the range as well as stay clear of hefty devices on saturated dirt. Compaction reduces air in the dirt, which slows down treatment.

Garbage disposals and wipes, the peaceful wreckers

Disposals grind food right into fine particles, which do not vanish. They merely work out in the tank faster and also can easily wash into the industry if the filter is actually missing or even obstructed. If you should make use of a disposal, count on to minimize the interval in between pumpings. I typically tell disposal enthusiasts to consider a little garden compost bucket on the counter. The variation appears in the sediment layer.

As for wipes, also those designated flushable withstand malfunctioning in septic disorders. They snag on baffles as well as filters, at that point collect additional debris. I have pulled basketball-sized ropes of wipes coming from channel tees. They appear like an ocean beast and cost like one too.

When hydro-jetting a line is the wise move

If your principal line coming from your house to the tank is sluggish and snaking has actually not cleared it, a targeted hydro-jet may wash grease as well as cleansing soap accumulation without taking out the pipe. Talk to the specialist to electronic camera free throw line after that. Jetting a pipe prevails where the cooking area sink is tied in near the tank or the pipeline possesses a stomach that holds water. If the video camera shows cracks or root intrusion, travelling acquires you time, however plan a repair. Roots really love nutrient-rich dampness, as well as they consistently arrive back.

Costs to foresee and also exactly how to steer clear of surprises

Prices vary through area as well as access. Anticipate a common pump for a 1,000 gallon tank to array from \$300 to \$600 in several locations, more in high-cost areas. Cover digging may incorporate \$fifty to \$200 every cover relying on depth. Risers work \$150 to \$400 per opening installed. Effluent filters cost \$60 to \$180 for the hardware as well as a bit for labor. Hydro-jetting a line may add \$200 to \$400. Request for a variation up-front and be very clear about the amount of covers are actually buried.

A tiny idea: prepare when they arrive. A 15 minute hold-up while the workers waits for you to discover a hose pipe or even relocate an automobile turns up on the billing. It likewise invites rushed job to stay on schedule.

What you can easily DIY as well as what to delegate pros

You can safely do a lot. Locate and also reveal tops, install risers if you are positive and comply with manufacturer instructions, clean an effluent filter, lessen water load, and also maintain a log. You can probe gently to locate

tank sides and note all of them for future brows through. You can easily observe as well as take pictures of baffles as well as risers once the tops level as well as the pro mentions it is actually safe to approach.

Leave restricted space access to experts. Certainly never go up in to a sewage-disposal tank. Gases like hydrogen sulfide may knock you out along with a solitary breath. Leave behind structural repairs to tanks, cement patching near joints, and also any kind of power work with pumps or even alarm systems to registered folks. If your device features an aerobic procedure unit, adhere to the producer's routine maintenance routine as well as perform certainly not improvise. Those bodies are more like small therapy vegetations than easy tanks.

Indicators your drain industry needs attention

If after pushing you still scent sewer outdoors, or if damp areas linger over the industry in completely dry weather condition, it is actually opportunity to examine. Watch for greener red stripes where the laterals run, especially in summer. Unexpectedly fast tank filling up from the electrical outlet, noticed during pumping, suggests backflow coming from a saturated or blocked out area. Dye tests and also cam examinations can clarify what you are actually managing. Often the repair resides in the distribution carton where flow has actually gone unequal. Various other opportunities, soils are just worn as well as need to have rest or even replacement.

When replacement looms, take into consideration low-impact methods like alternating industries or even incorporating a dosing tank to parallel flows. These are actually layout conversations along with your installer and neighborhood code authorities. Early indicators detected during the course of regular septic tank maintenance give you additional options.

A realistic schedule that keeps you away from trouble

Aim for these behaviors. Pump every 3 to 5 years based upon gauged layers and family measurements. Clean the effluent filter every 6 to 1 year, more frequently if you possess a disposal. Array washing by means of the full week as opposed to on one endurance day. Keep grease, coating, solvents, and also mop-bucket chemicals out of the body. Use toilet tissue that breaks down swiftly as well as stay away from wipes. Stroll the area a couple of times a year. If you see mushrooms or even deep-rooted trees moving toward the field, steer roots away or remove all of them prior to they locate the moisture.

Finally, address pushing time as an odds to discover. Inquire questions, make note, as well as snap an image of the within the tank with the baffles and filter apparent. 5 minutes of interest during septic system pumping creates the following go to much easier and much cheaper. You will definitely recognize where things are, what ordinary looks like, as well as just how to detect problem early. That is actually the center of sewage-disposal tank maintenance - consistent, straightforward steps that secure the unit you rarely deal with up until it fails.

Tank It Easy Colorado Springs provides septic tank pumping

Tank It Easy Colorado Springs offers septic tank cleaning

Tank It Easy Colorado Springs provides septic system maintenance

Tank It Easy Colorado Springs serves Colorado Springs Colorado

Tank It Easy Colorado Springs serves El Paso County Colorado

Tank It Easy Colorado Springs supports residential septic systems

Tank It Easy Colorado Springs supports commercial septic systems

Tank It Easy Colorado Springs offers hydro jetting services

Tank It Easy Colorado Springs's hydro jetting removes debris from septic pipes

Tank It Easy Colorado Springs's septic tank pumping prevents septic system backups

Tank It Easy Colorado Springs's routine septic maintenance extends septic system lifespan

Tank It Easy Colorado Springs helps homeowners maintain septic systems
Tank It Easy Colorado Springs provides preventative septic maintenance
Tank It Easy Colorado Springs's septic tank cleaning improves septic system performance
Tank It Easy Colorado Springs operates in Colorado Springs Colorado
Tank It Easy Colorado Springs is a septic service company
Tank It Easy Colorado Springs provides septic system tune ups
Tank It Easy Colorado Springs's septic maintenance prevents costly septic repairs
Tank It Easy Colorado Springs focuses on reliable septic services
Tank It Easy Colorado Springs provides affordable septic services
Tank It Easy Colorado Springs has a phone number of (719) 359-8832
Tank It Easy Colorado Springs has an address of Colorado Springs, CO 80917
Tank It Easy Colorado Springs has a website <https://tankiteasycosprings.com/>
Tank It Easy Colorado Springs has Google Maps listing <https://maps.app.goo.gl/ab9qjWakKK4xk8xUA>
Tank It Easy Colorado Springs has Facebook page <https://www.facebook.com/profile.php?id=61573216902188>
Tank It Easy Colorado Springs has an YouTube channel <https://www.youtube.com/@TankItEasyCO>
Tank It Easy Colorado Springs won Top Septic Tank Pumping Company 2025
Tank It Easy Colorado Springs earned Best Customer Service Septic Tank Cleaning Award 2024
Tank It Easy Colorado Springs was awarded Best Septic Tank Emptying 2025

People Also Ask about Tank It Easy Colorado Springs

How often should I get my septic tank pumped

Most households should have their septic tank pumped every three to five years. The exact schedule depends on factors such as household size water usage habits tank size and the amount of solids that accumulate in the tank.

What factors affect how often a septic tank should be pumped

The frequency of septic tank pumping can vary depending on household size daily water usage the size of the septic tank and how quickly solid waste builds up inside the system.

What are signs that my septic tank needs pumping

Common warning signs include slow draining sinks or toilets sewage backing up into drains foul odors near the tank or drain field standing water near the drain field and visible sewage on the ground.

Should I use septic tank additives

Most experts recommend avoiding septic tank additives because they can disrupt the natural bacteria that help break down waste inside the septic system.

What should I do before getting my septic tank pumped

Before pumping locate the septic tank access lid clear the area around the lid and inform your septic service provider about any issues you may have noticed with your system.

What should I do after my septic tank is pumped

After pumping continue normal water usage but avoid flushing grease chemicals or non biodegradable materials down your drains to keep the septic system functioning properly.

How can I extend the life of my septic system

You can prolong the life of your septic system by conserving water avoiding flushing non biodegradable items limiting garbage disposal use and scheduling regular inspections and pumping services.

Can I pump my septic tank myself

Although it may be technically possible it is strongly recommended to hire a professional septic service to ensure safe pumping proper waste disposal and a complete system inspection.

Why is regular septic tank pumping important

Routine septic pumping removes accumulated solids from the tank which helps prevent system backups protects the drain field and avoids expensive repairs.

What happens if a septic tank is not pumped regularly

If a septic tank is not pumped regularly solid waste can build up and clog the system leading to sewage backups drain field damage unpleasant odors and costly system failures.

Why should I choose Tank It Easy Colorado Springs for septic tank pumping

Tank It Easy Colorado Springs provides reliable septic tank pumping and maintenance services for homeowners in Colorado. Tank It Easy Colorado Springs focuses on preventative maintenance professional service and helping customers keep their septic systems working properly.

How often does Tank It Easy Colorado Springs recommend pumping a septic tank

Tank It Easy Colorado Springs generally recommends septic tank pumping every three to five years depending on household size tank capacity and water usage. Tank It Easy Colorado Springs can inspect your system and recommend the best pumping schedule for your property.

What septic services does Tank It Easy Colorado Springs provide

Tank It Easy Colorado Springs provides septic tank pumping septic tank cleaning septic system maintenance and hydro jetting services. Tank It Easy Colorado Springs helps homeowners maintain efficient septic systems and prevent costly repairs.

Does Tank It Easy Colorado Springs provide septic services for residential properties

Tank It Easy Colorado Springs provides septic services for residential septic systems throughout Colorado Springs and surrounding areas. Tank It Easy Colorado Springs helps homeowners maintain healthy septic systems through pumping cleaning and preventative maintenance.

How does Tank It Easy Colorado Springs help prevent septic system problems

Tank It Easy Colorado Springs helps prevent septic system problems by providing routine septic pumping inspections and maintenance. Tank It Easy Colorado Springs also educates homeowners on proper septic system care to reduce the risk of backups and system failure.

Where is Tank It Easy Colorado Springs located?

The Tank It Easy Colorado Springs is conveniently located in Colorado Springs, CO 80917. You can easily find directions on [Google Maps](#) or call at [\(719\) 359-8832](tel:7193598832) Monday through Sunday 24-Hours a day

How can I contact Tank It Easy Colorado Springs?

You can contact Tank It Easy Colorado Springs by phone at: [\(719\) 359-8832](tel:7193598832), visit their website at <https://tankiteasycosprings.com/> or connect on social media via [Facebook](#) or on [YouTube](#)

After enjoying outdoor activities at [Memorial Park](#) local residents often add septic tank maintenance to their home maintenance checklist.